

Pit Group ID¹	Central latitude²	Central longitude³	Crater degradation class⁴	Crater name
1042	4.18191	-54.0909	3	Mistral
1043	5.43028	-55.8098	4	
1045	15.0086	-49.0076	4	Lermontov
1046	3.7557	-56.085	4	
1047	26.6068	-59.4069	3	Praxiteles
1052	-37.264	-61.7467	1	Chekhov
1065	7.47479	-51.3424	4	
1066	-27.4922	-48.9463	n/a	
1074	45.3868	-64.5913	1	
2002	27.5251	1.19122	3	
2006	17.4245	-2.75405	3	Hemingway
2007	14.006	3.63059	3	
2029	26.0067	-4.11082	3	
2039	-48.4267	-6.4235	3	
2041	-50.0023	5.80077	n/a	
2045	-48.9564	2.26688	n/a	
2046	-47.0739	-6.04293	3	
4001	21.5008	178.967	3	Caloris
4010	25.7479	74.375	4	
4013	-39.7556	175.655	2	Liang K'ai
4014	58.8242	160.686	3	Navoi
4015	13.7039	162.362	3	Caloris
4017	60.8055	168.064	3	
4037	48.4023	161.229	3	Caloris
4038	23.0499	179.461	4	
4040	-28.1626	161.933	4	
4041	-23.6502	179.722	3	Hauptmann
4044	19.497	178.073	3	
4048	-25.3508	177.767	2	
5014	35.5111	23.1669	3	
5016	28.3662	10.2985	n/a	
5020	-51.6599	24.4144	4	
5022	-19.0753	71.579	2	Kipling
5023	-21.0364	72.4432	3	
5024	-15.563	65.7418	n/a	
5034	-0.818519	43.8684	n/a	
5039	3.5413	50.9792	3	Picasso
5041	-5.66971	58.1529	n/a	
5047	-11.2567	55.2067	n/a	

5053	32.1695	22.7546	n/a	
5055	32.4413	21.8351	5	
5061	35.9861	57.4238	n/a	
5063	37.3538	23.7992	n/a	
5066	36.3165	55.2924	4	
5070	-37.5026	45.6213	4	
5072	-32.6985	36.1268	3	
5077	-11.4008	62.1781	n/a	
5082	35.7936	63.9847	n/a	
5083	-33.261	49.9534	n/a	
5084	-52.8102	38.2961	3	
5085	-49.8341	10.7517	n/a	
5086	-9.15486	52.2909	n/a	
5087	35.9417	51.1418	4	
5090	-70.6439	13.0063	3	
5091	-68.8936	23.6707	n/a	
5092	-52.7133	17.7142	n/a	
5094	-36.2284	41.1891	4	
5095	-43.7973	19.8606	3	
5096	8.13621	32.8684	5	
5097	-66.8024	76.2552	4	Alver
5103	-48.3247	11.8058	n/a	
5104	-53.0162	20.171	n/a	
6007	48.6929	159.48	3	Caloris
6014	38.2797	141.471	n/a	
6016	14.297	159.689	3	Caloris
6060	-5.20355	143.593	1	
6062	22.0407	145.847	3	Caloris
6064	-11.0137	140.58	3	
6067	16.6477	156.914	3	Caloris
6071	18.7473	149.655	3	Caloris
6074	-28.2183	146.868	4	
6078	-9.21725	154.509	1	
6083	-28.124	136.556	4	
6086	-59.6059	141.492	n/a	
6087	28.0165	138.617	n/a	
6090	-43.7408	105.786	4	
6096	-59.833	145.26	3	
6099	45.3181	144.352	3	
6111	24.2069	148.383	3	Caloris
6113	36.606	110.168	1	

6115	58.2096	101.077	n/a	
6117	-55.2083	142.663	2	
6119	-45.3567	135.107	4	Sher Gil
6120	-40.3069	111.336	4	Beckett
6123	-41.9784	115.104	2	
6124	-51.5263	136.546	3	
6125	-63.5287	142.665	2	
6126	-65.2769	147.733	2	
6127	-56.3444	143.899	n/a	
6129	-65.9282	154.247	3	
6130	-38.6292	137.633	2	
6131	-38.6423	133.703	3	
6132	-38.7106	135.283	2	
6133	-55.0409	147.151	3	
6134	-40.0887	124.806	3	
6136	-51.9731	138.955	4	
6149	-35.1335	142.659	3	
6151	-32.5761	151.114	2	
6153	17.6497	152.572	4	
6155	18.6001	150.952	3	Caloris
6156	46.8633	150.557	3	Caloris
6157	17.3591	149.951	3	Caloris
6161	18.535	148.147	3	Caloris
7019	41.1319	-100.813	3	Scarlatti
7031	52.5358	-111.669	3	To Ngoc Van
7038	-21.2196	-89.2117	4	
7041	9.45622	-137.764	3	
7042	4.43584	-137.787	n/a	
7044	-11.7315	-154.646	3	
7045	-21.6354	-156.926	2	Eitoku
7046	-30.3481	-155.945	2	
7047	8.29851	-113.526	2	
7051	-22.0732	-104.822	2	
7054	-24.6265	-156.461	4	
7055	42.0109	-98.5088	2	
7057	21.787	-67.3412	4	
7058	-24.1346	-105.024	2	Rumi
7074	-3.54144	-136.788	0	
7075	-8.41149	-135.493	1	
7090	3.80181	-148.662	4	Tyagaraya
7092	24.2694	-178.97	3	Caloris

7094	-2.9716	-147.242	4	Zeami
7096	4.5811	-140.681	4	
7104	-16.7501	-161.611	1	Tolstoj
7107	-19.8725	-161.07	3	
7109	-21.0552	-162.851	1	Tolstoj
7110	-6.93635	-113.785	3	
7114	-13.5333	-129.994	3	
7115	-11.6018	-132.973	2	
7125	15.0115	-112.377	2	Glinka
7141	-26.7598	-81.9273	n/a	
7146	8.59485	-67.9205	5	
7160	-22.8582	-90.5563	3	
7164	5.08245	-139.488	2	
7165	55.9929	-69.1463	1	
7166	-20.2439	-163.391	1	Tolstoj
8008	48.3288	-33.9994	2	
8020	-58.0857	-31.6951	n/a	
8023	-6.06093	-13.0714	3	
8024	61.8274	-10.9485	4	Abedin
8025	58.8416	-32.8942	3	
8026	-44.78	-12.4139	3	Rilke
8027	-57.6204	-37.5289	5	Kuniyosi
8029	-29.4306	-19.1131	n/a	
8167	27.0474	-29.5918	4	Geddes
8172	-27.7333	-24.5524	3	
8178	-51.5123	-27.6924	n/a	
8183	12.1812	-44.2048	1	
8198	-55.0961	-30.0106	n/a	
8199	-53.6243	-31.1497	n/a	

¹ Pits are grouped on the basis of close (< 50 km) proximity and/or occurrence in the same host crater.

² Latitude of the centroid of the pit group in decimal degrees.

³ Longitude of the centroid of the pit group in decimal degrees.

⁴ Degradation class of the host crater, suggesting an age of (oldest to youngest): 5 = Pre-Tolsojan, 4 = Tolsojan, 3 = Calorian, 2 = Mansurian, 1 = Kuiperian to late Mansurian, 0 = cannot be determined, n/a = does not lie within a crater.